Name	
Date of birth	The Modified Overt Aggression Scale (MOAS)*
Date completed	
INSTRUCTIONS Rate the patient's age	gressive behavior <i>over the past week</i> . Select as many items as are appropriate.
	ach category mary, multiply sum by weight and add all the weighted sums for total weighted score. Use anges in level of aggression over time.
through devaluation/ No verbal aggress Shouts angrily, cu Curses viciously, Impulsively threat	rses mildly, or makes personal insults s severely insulting, has temper outbursts ens violence toward others or self e toward others or self repeatedly or deliberately (e.g., to gain money or sex)
☐ No aggression aga☐ Slams door angril	v, rips clothing, urinates on floor own, kicks furniture, defaces walls nashes windows bjects dangerously
□ No autoaggression□ Picks or scratches□ Bangs head, hits f□ Inflicts minor cuts	skin, pulls hair out, hits self (without injury) ists into walls, throws self on floor , bruises, burns or welts on self y on self or makes a suicide attempt
□ No physical aggre□ Makes menacing of□ Strikes, pushes, so□ Attacks others, ca	restures, swings at people, grabs at clothing cratches, pulls hair of others (without injury) using mild injury (bruises, sprains, welts, etc.) using serious injury (fracture, loss of teeth, deep cuts, loss of consciousness, etc.)